

AD A108871

AFGL-TR-81-0199

12

LEVEL II

AIRCRAFT-BORNE MEASUREMENT OF INFRARED SOURCES
AND BACKGROUNDS

Ronald J. Huppi

Electro-Dynamics Laboratories (SRL)
Utah State University
139 The Great Road
Bedford, Massachusetts 01730

30 June 1981

Final Report
21 Oct 77 to 30 Jun 81

Approved for public release; distribution unlimited.

Partly supported by Defense Advanced Research Projects Agency,
ARPA Order 2656, monitored by U.S. Army Missile Command under
MIPR A3168E-37-7W02, Subject: Aircraft and Background Infrared
Signature Measurements and partly sponsored by the Defense
Nuclear Agency under Subtask S99QZXHI004, Work Unit 11,
entitled: Infrared Phenomenology and Optical Code Development

AIR FORCE GEOPHYSICS LABORATORY
AIR FORCE SYSTEMS COMMAND
UNITED STATES AIR FORCE
HANSCOM AFB, MASSACHUSETTS 01731

DTIC
ELECTE
S DEC 28 1981 D

D

8112 2807

Qualified requestors may obtain additional copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFGL-TR-81-0199	2. GOVT ACCESSION NO. AD A108 871	3. RECIPIENT'S CATALOG NUMBER EDL-SRL-81-3
4. TITLE (and Subtitle) Aircraft-Borne Measurement of Infrared Sources and Backgrounds		5. TYPE OF REPORT & PERIOD COVERED Final Report
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Ronald J. Huppi		8. CONTRACT OR GRANT NUMBER(s) F19628-78-C-0018
9. PERFORMING ORGANIZATION NAME AND ADDRESS Electro-Dynamics Laboratories (SRL) Utah State University 139 The Great Road, Bedford, MA. 01730		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 767011AB
11. CONTROLLING OFFICE NAME AND ADDRESS Air Force Geophysics Laboratory Hanscom AFB, Massachusetts 01731 Monitor: Capt. R.P. Walker/OPR		12. REPORT DATE 30 June 81
		13. NUMBER OF PAGES 59
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release, distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Partly supported by Defense Advanced Research Projects Agency, ARPA Order 2656, monitored by U.S. Army Missile Command under MIPR A3168E-37-7W02, Subject: Aircraft and Background Infrared Signature Measurements and partly sponsored by the Defense		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Radiometers, interferometer-spectrometer, spatial mapper, infrared emissions, infrared reflections, atmospheric emissions, target emissions, infrared background, auroral enhancements, hydroxyl airglow, aircraft, nitric oxide.		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Instruments for infrared measurements of natural and man produced infrared sources are described and measurements were planned, performed, and analyzed. The measured or analyzed data included the following: Measurements of aircraft emissions and reflections in fixed spectral bands between 2.5 and 7.5 μm ; analyses of near infrared auroral and airglow emissions in the 1.7 μm and 2.8 μm region; and quantitative measurements and		

DD FORM 1 JAN 73 1473

(MICROMETER)

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

411370

UNCLASSIFIED

MICROMETER

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

analyses of the spatial emissions and backgrounds in the 2 to 15 μ m region. The measurements were taken with the radiometric instruments described and by spectrometers, and spatial mappers which were operated on AFGL's NKC-135 aircraft. The instruments were periodically inspected, maintained and kept in a state of readiness. Studies and recommendations were made indicating that the reliability of many future measurements could be improved using cryogenically cooled radiometers and interferometer-spectrometers.

Item 18 (Cont'd)

Nuclear Agency under Subtask S99QZXHI004, Work Unit 11, entitled: Infrared Phenomenology and Optical Code Development.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

ACKNOWLEDGEMENTS

The Defense Nuclear Agency and Defense Advanced Research Projects Agency sponsored the research covered by this contract. The efforts were defined and monitored by AFGL. The continued support of these agencies was greatly appreciated.

Several employees of the Electro-Dynamics Laboratories (EDL) were instrumental in the completion of the contractual efforts. Supervision of the efforts was performed by Ronald J. Huppi and Doran J. Baker. Engineering and field measurement support were provided by Thomas Hudson, Dr. John H. Schummers, Brian Walker and Ronald J. Huppi. Data reduction and analysis efforts were accomplished by Ronald J. Huppi, John H. Schummers, Brian Walker and Charles Eastman. In addition, the complete EDL team was available for consultation providing great depth for solving the required problems.


The author would also like to recognize the direction given by Brian P. Sandford and Dr. A.T. Stair of AFGL. Their guidance and interest in the efforts were appreciated.

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	

DTIC
ELECTE
S DEC 28 1981 **D**
D

TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENTS.....	3
INTRODUCTION.....	7
MODIFICATIONS AND MAINTENANCE OF THE DUAL CHANNEL NIR SYSTEM.....	8
MAINTENANCE, CALIBRATION, AND MODIFICATION OF THE TYPE III INTERFEROMETER-RADIOMETER SYSTEM.....	16
REDUCTION AND ANALYSIS OF 1.7 μ m AND 2.9 μ m AURORAL MEASUREMENTS.....	30
INFRARED MEASUREMENTS OF AIRCRAFT EMISSIONS AND REFLECTIONS.....	31
SPATIAL INFRARED MEASUREMENTS.....	35
SCIENTIFIC AND OPEN LITERATURE REPORTS.....	38
REFERENCES.....	39



LIST OF ILLUSTRATIONS

	Page
Figure 1. Dual channel NIR radiometer.....	9
Figure 2. Four channel NIR radiometer.....	10
Figure 3. Three channel NIR radiometer with infrared image viewer	11
Figure 4. Multi-channel radiometer mounted on trackable aircraft-borne platform.....	12
Figure 5. Optical layout of each radiometer channel..	14
Figure 6. Typical reticle chopper and aperture plate.	14
Figure 7. Liquid nitrogen cooled chopper and warm interferometer system.....	17
Figure 8. Cryogenically cooled chopper assembly mounted in the AFGL KC-135 aircraft.....	18
Figure 9. Calibration set up for the liquid nitrogen cooled chopper-collimator.....	20
Figure 10. Cryogenically cooled radiometer developed for aircraft use.....	23
Figure 11. Aircraft-borne cryogenically cooled window and baffle system.....	24
Figure 12. Trackable eyeball mount.....	25
Figure 13. Cryogenically cooled radiometer mounted in the aircraft.....	27
Figure 14. Optical layout of a cryogenic radiometer for aircraft use.....	28
Figure 15. Cryogenically cooled interferometer-spectro- meter and dewar assembly for aircraft use..	29
Figure 16. Comparison of 2.9 μ m enhancements and 3914Å N_2^+ emissions for data measured 7 Mar 76....	33
Figure 17. Comparison of 2.9 μ m enhancements and 3914Å N_2^+ emissions for data measured 26 Mar 76...	34

LIST OF TABLES

	Page
Table 1. Optical Transmissions of the Liquid N ₂ Chopper System with Ca _a F1 and GE-106 Windows for Various Fields of View of Radiometers.....	21
Table 2. Photoenergy Efficiencies of Aurorally Excited Overtone NO Emissions.....	32

INTRODUCTION

Under this contract Utah State University (USU) has planned and performed spectral infrared measurements of natural and manmade background and target sources. The measurements were taken with radiometers and interferometer-spectrometers from an Air Force NKC-135 aircraft. The infrared instruments were maintained, improved, and operated in the field by USU employees.

Much of the measured data has been reduced and analyzed. Reports have been written which incorporate the measured data. Also, a report describing the advantages and the limitations of using cryogenic Fourier-transform interferometers was written to provide guide lines for planning future measurements.

The major contractual efforts performed for the contract are itemized below:

1. Modifications and maintenance of the Dual-Channel NIR radiometer system were made.
2. Modifications and inspections of the Type III interferometer system were periodically made.
3. Reductions and analyses of infrared auroral measurements in the 1.70 μm and 2.9 μm regions were made and reported.
4. Infrared measurements of aircraft emissions and reflections from 2.5 μm to 7.5 μm were performed with the NIR radiometer system.
5. Support was given to collect and analyze spatial infrared data.
6. Scientific reports and open literature reports were written and published.

The work performed on the tasks listed above are summarized in this report. The completion of the items fulfill the contractual requirements.

MODIFICATIONS AND MAINTENANCE OF THE DUAL CHANNEL NIR SYSTEM

Pictorially, the original dual channel NIR radiometer is shown in Figure 1. Modified versions of this radiometer were used in this contract. The modified instruments have additional infrared channels. A four channel configuration is shown in Figure 2, and a three channel configuration incorporating a Probeye* infrared viewing device is shown in Figure 3. The three channel configuration is actually made from the four channel unit through the use of a reversible modification. The modification was designed and constructed under the contract to improve the capabilities of the instrument for the specific measurements of interest.

To accomplish the planned contractual measurements, either a three channel or a four channel radiometer was placed on a trackable platform in the aircraft as shown in Figure 4. The instrument views a target or background through a 12-inch diameter germanium window mounted to the aircraft shell. Either the three or the four channel configuration can be hand tracked on an infrared target through the use of the Probeye infrared viewer which converts an infrared image to a visible image. The three channel configuration is sometimes desired over the four channel configuration since it has less tracking limitations when mounted on the existing aircraft platform.

Each channel of the radiometers has independent optics and an independent detector, but the multi-channel instruments use a common optical chopper and a common filter wheel to minimize the physical size of the unit. The optical layout of each channel is represented in Figure 5. The basic lens system consists of a 2-inch diameter, f/2.5 objective lens followed

*The Probeye infrared viewer is a commercially available unit manufactured by Hughes Aircraft Company.




Figure 1. Dual channel NIR radiometer.




Figure 2. Four channel NIR radiometer.




Figure 3. Three channel NIR radiometer with infrared image viewer.




Figure 4. Multi-channel radiometer mounted on trackable aircraft-borne platform.

by a 1-inch diameter $f/7$ field lens. The objective lens images point at infinity on the aperture plane which defines the field of view of the radiometer. Since the objective lens is relatively slow, its imaging properties can be made extremely good to guarantee a sharply defined field of view. However, the field lens does not require these same sharp imaging qualities, since its function is to collect the optical signal passing through the aperture and condense it onto a detector. As a result, the field lens can be made relatively fast which minimizes the required detector size and maintains a low equivalent f number for the optical system.

As shown in Figure 5, the radiometer design incorporates an optical chopper to modulate the signal. The chopper is located within .025 inches of the aperture plane. The standard chopper modulates the complete aperture on a fifty percent duty cycle basis; however, coded or reticle type choppers were typically used to define the aperture.

The reticle configuration is extremely useful for target emission measurements at wavelengths as long as $7\text{ }\mu\text{m}$. The reticle system is designed to balance out the instrument thermal emissions and also bright uniform backgrounds. However, small infrared targets are not balanced out, and they are detectable with the radiometer.

A typical reticle chopper and aperture arrangement is shown in Figure 6. These parts replace the chopper and aperture shown in the optical layout presented in Figure 5. The chopper is constructed such that an equal and a constant amount of the aperture area is blocked and open at all times while the chopper is rotating. As a result, large uniform radiation sources which fill the field aperture opening are unmodulated when they reach the detector. Emissions reaching the detector from the chopper blade and instrument are also unmodulated, since they are also uniform and fill a constant area of the aperture at all times. However, a source will be completely modulated upon reaching the detector if its image size in the




Figure 5. Optical layout of each radiometer channel.




Figure 6. Typical reticle chopper and aperture plate.

focal plane of the objective lens is smaller than the size of the opening formed by one chopper blade opening and the aperture opening. These modulated signals are the only ones that are detectable with the radiometer, since the detector signals are synchronously demodulated with a vector phase-lock amplifier which extracts only modulated signals that are referenced to the chopper. These characteristics made the instrument very useful for the measurement of infrared targets such as airplanes and rockets.

The FOV of the radiometer channels can be tailored to the measurements needs by changing the reticle and aperture. Different reticle and aperture sizes were designed and used during the contract. Typically the instantaneous FOV of two channels of the radiometer were designed to be 2° vertical by 4° horizontal while the remaining one or two channels were designed to be 4° vertical by 2° horizontal. On occasion, a different reticle was used to change all the FOV's to $.5^\circ$ by $.5^\circ$.

The advantages of operating the radiometer with a reticle type chopper are many. However, the radiometer operating in the reticle mode has some practical limitations. In addition to the usual limitations of the detector's sensitivity and the qualities of the optical components, there are practical limitations as to what extent the reticle scheme can suppress or balance out the thermal emissions of the instrument and the extended bright backgrounds. If a reticle is carefully constructed and optically balanced, one can obtain as much as four orders of background suppression. With this suppression, the uncooled instrument is capable of measuring sources having spectral radiances as small as 10^{-8} watts/cm²sr μ m in the 4 to 5 μ m range. At shorter wavelengths even lower intensity sources can be measured, while at longer wavelengths the instrument is more limited because of the increased instrument thermal emissions.

The NIR radiometer system has proven to be a valuable and

reliable tool for extensive measurement programs. It was maintained and kept in a state of readiness for the entire contractual period. No major failures occurred as a result of the continual and comprehensive inspections, calibrations, and maintenance procedures which were followed. All electrical, optical and mechanical parts were inspected after each flight or monthly. Any marginal parts were immediately replaced or repaired. Calibrations were periodically performed to provide accurate absolute measurements of the various emission sources of interest. The procedures described by *Sandford et al.*, [1976] were used to perform these calibrations. The calibrations were primarily done in the laboratory, but a limited amount of secondary calibrations were done while airborne to give assurance that the instrumental characteristics were stable.

MAINTENANCE, CALIBRATION, AND MODIFICATION OF THE TYPE III INTERFEROMETER-RADIOMETER SYSTEM

The layout of the Type III interferometer-radiometer system is shown in Figure 7. As described by *Huppi* [1974], the interferometers or radiometers operate at ambient temperatures inside the aircraft while the chopper acts as a cold reference and provides a method for distinguishing between the source emissions and the thermal emissions of the aircraft and instrument structures. Three instruments can be operated simultaneously behind the three windows in the chopper assembly which mounts to the aircraft surface as shown in Figure 8.

The complete system including the chopper assembly, interferometers, and radiometers was periodically inspected, maintained, and kept in a state of readiness. Since AFGL elected not to fly the system during the contract period, no major replacement parts were needed; and only simple parts such as preamplifier battery packs were replaced.




Figure 7. Liquid nitrogen cooled chopper and warm interferometer system.




Figure 8. Cryogenically cooled chopper assembly mounted in the AFGL KC-135 aircraft.

The radiometer and interferometer components were calibrated in the laboratory using conventional techniques similar to those described by *Sandford et al.* [1976]. Typically, the calibrations were done using both a point source and an extended source to guarantee the accuracy of the procedures.

In addition to the calibrations of the radiometers and interferometers, the Type III system has an added calibration problem, since the instruments are operated behind the cold optical chopper and collimator system as shown in Figure 7. The attenuation of this chopper system must be determined if absolute values are to be placed on data measured through the system. The calibration is complicated by the fact that the attenuation of the collimator portion varies as a function of angle; and therefore, the throughput will vary when used with instruments having different fields of view. The best way to calibrate the attenuation effect of the collimator is to perform a measurement using an extended source, the chopper system, and the actual radiometer or interferometer which is to be used. This process was performed for a radiometer for three fields of view settings. The calibration set up is shown in Figure 9. As shown, a point source is chopped and sent into an integrating sphere. The sphere converts the point source to an extended source which is then measurable with the radiometer through the chopper system. During this process, the chopper blade is left in the open position. Then the chopper system is removed and the measurement is repeated. The ratio between the first and second measurement gives the integrated attenuation of the collimator and aperture for the specific field of view characteristics of the radiometer. Table 1 summarizes the attenuation of the chopper system for the three fields of view which were measured with a type III radiometer whose entrance aperture is partially vignetted by the chopper aperture. These values give a rough overview of typical attenuations that can be expected for a practical radiometer or interferometer for various fields of view. To




Figure 9. Calibration set up for the liquid nitrogen cooled chopper-collimator.

TABLE 1. OPTICAL TRANSMISSIONS OF THE LIQUID N₂ CHOPPER SYSTEM WITH Ca₂F1 AND GE-106 WINDOWS FOR VARIOUS FIELDS OF VIEW OF RADIOMETERS.

Field of View (Degrees)	Window Type	Measurement Wavelength (μ m)	Window & Collimator Transmittance Unchopped (Percent)
10	Ca ₂ F1	2.9	23.5
10	GE-106	2.9	19.1
5	Ca ₂ F1	2.9	31.0
5	GE-106	2.9	28.7
2	Ca ₂ F1	2.9	34.5
2	GE-106	2.9	31.0

complete the calibration of the chopper system, the above results must be multiplied by the chopping efficiency of the rotating chopper. This efficiency can be readily calculated from the geometry of the system. The actual chopper blade modulates the incoming radiation in an almost sinusoidal fashion and has an efficiency of about 40%. This is only slightly less than an optimum square wave chopper which has an efficiency of 50%.

The complexity of the calibration of the Type III chopper-collimator system and the sensitivity limitations of the warm instrument used with the system are undesirable features. This has led to investigations of the advantages and limitations of interferometer and radiometer systems which incorporate cryogenic cooling techniques to cool the instrument's optics, structures, and detectors. Scientific Report No. 2 by *Huppi and Stead* [1981] outlines the advantages, the limitations, and some typical characteristics of cryogenically cooled Fourier transform spectrometers. The report indicates that cooling an FT-IR interferometer-spectrometer can substantially improve its sensitivity, reduce or eliminate its unwanted background signals from self-emissions, and stabilize its optical alignment. As a result of the investigations it is suggested that the type III interferometer-radiometer system be modified or replaced by cryogenically cooled instruments.

Using recently developed and proven technology, cryogenically cooled interferometers and radiometers could readily be designed and constructed to operate in the aircraft. A cryogenically cooled radiometer system which has been developed and tested by USU for aircraft use is shown in Figure 10. The radiometer is made to operate in the AFGL KC-135 aircraft behind a cryogenically cooled window and baffle system which was initially developed by John Rex of AFGL and is shown in Figure 11. The window and baffle are mounted in the eyeball arrangement shown in Figure 12 which allows the optical axis to be rotated 25° in any direction from the normal position.



Figure 10. Cryogenically cooled radiometer developed for aircraft use.




Figure 11. Aircraft-borne cryogenically cooled window and baffle system.




Figure 12. Trackable eyeball mount.

A photograph of the radiometer and mounting configuration is shown in Figure 13. The basic infrared optical system is shown in Figure 14. The detector, the lens system and the radiometer structures are all cooled to 77°K by conduction from a LN₂ cold finger. The entrance window and the baffle are also cooled with LN₂, and they are defrosted with gaseous N₂ which boils off of LN₂. Actual temperature measurements on the window and baffle system during a flight indicate that temperatures between 77°K and 87°K can be maintained, and no frosting occurs. This completely cold radiometer and window system operates very reliably over long periods of time, and it can be tracked on a target with a visible sighting scope. Thus, it would appear that it is an ideal system for measurements of the type performed for TEAL RUBY and other similar programs.

A pictorial view of a cryogenically cooled interferometer-spectrometer and dewar assembly is shown in Figure 15. The interferometer uses a standard flat mirror Michelson arrangement which has a flex-pivot drive mechanism to move one mirror. The drive mechanism is of the type initially designed by John Rex of AFGL. Cryogenic operation of the interferometer has been accomplished by *Kemp and Huppi* [1980]. The dewar system, shown in Figure 15, is made to interface with the cold window and baffle system described previously. Vibration isolation for the interferometer is accomplished external to the dewar through the use of Berry mounts and a large flexible bellows. The bellows and mounts respectively isolate the main part of the dewar from the eyeball assembly and the aircraft structures. Additional vibration isolation of the interferometer is obtained inside the dewar through the use of a flex-pivot mounting arrangement. The interface of the interferometer dewar to the eyeball arrangement enable the complete unit to be tracked or aimed at sources. Thus, if the Type III interferometer system were replaced with one of these cryogenically




Figure 13. Cryogenically cooled radiometer mounted in the aircraft.




Figure 14. Optical layout of a cryogenic radiometer for aircraft use.




Figure 15. Cryogenically cooled interferometer-spectrometer and dewar assembly for aircraft use.

cooled units it could be used for measuring target emissions as well as atmospheric aurorae and airglow emissions.

REDUCTION AND ANALYSIS OF 1.7 μm AND 2.9 μm AURORAL MEASUREMENTS

Significant infrared emission enhancements in a spectral band centered at 2.94 μm (2.84-3.04 μm) have been measured from the AFGL KC-135 aircraft with the Type III radiometer system while viewing an aurorally enhanced atmosphere. The measurements were made as part of the 1976 DNA/AFGL ICECAP program by *Huppi and Reed* [1977]. The 2.94 μm enhancements are spatially and temporally correlated with aurorally induced enhancements of the N_2^+ first negative band at 3914Å. The measured 2.94 μm enhancements are superimposed on a slowly varying background emission which even exists at times when the atmosphere is not excited by aurora. *Huppi and Reed* [1977] postulate that this background is mainly chemiluminescence from hydroxyl (OH) fundamental airglow chemistry. However, this OH chemiluminescence is not a feasible source of the measured 2.94 μm enhancements, since corresponding enhancements are not seen in the OH overtone (5,3) and (6,4) bands as monitored by a coaligned 1.7 μm (1.66 - 1.74 μm) radiometer. A more feasible source of the enhancements, postulated by *Stair et al.*, [1975], is chemiluminescence generated by nitric oxide (NO) first overtone ($\Delta V = 2$) chemistry.

As part of this contract, investigations of the 2.94 μm background and the enhancement emissions were performed and reported by *Schummers and Huppi* [1979] in Scientific Report No. 1. Consideration was first given to the source producing the slowly varying background. Calculations were performed showing that OH fundamental emissions can completely account for the measured background levels. Assuming that the OH fundamental emission intensities are directly and temporally correlated with the OH overtone emissions as monitored at

1.7 μm , an experimental method for separating or removing the postulated OH background from the auroral enhancements was applied to the 2.9 μm data. The experimental results, based on the actual measurements, verified that the calculated OH predictions are feasible. Once the background was subtracted from the data, magnitude and temporal comparisons were made between the enhancements occurring at 2.94 μm and 3914A. Figure 16 and Figure 17 show samples of the measured data and some of the comparisons. The comparisons indicate that the auroral enhancements at 3914A and 2.94 μm are closely correlated. Assuming that the 2.94 μm enhancements are chemiluminescence from NO chemistry and using the 3914A emissions as a monitor of the total auroral energy, the percentage of the total auroral energy which was emitted as NO photons (photo-energy efficiency) was calculated for seven measurement periods. The results are tabulated in Table 2. As shown in the table, the photo-energy efficiency varies significantly from one auroral event to another. Presently, it is postulated that these variations are due to altitude dependencies of the reaction relative to variations in auroral penetration.

INFRARED MEASUREMENTS OF AIRCRAFT EMISSIONS AND REFLECTIONS

Infrared emissions generated or reflected from various aircrafts during flight were monitored with the NIR radiometer system operating in a three or four channel configuration from the AFGL NKC-135 flying laboratory. Up to twelve selectable spectral bands in the 2.5 to 7.5 μm range were monitored on each aircraft, as defined by *Sandford et al.* [1976]. Time histories of the irradiances of the aircraft sources were measured for various power increases, power decreases, fixed power settings and aircraft maneuvers. Absolute irradiance numbers were obtained for the various power conditions. Specific radiometric measurements and supporting comparisons with the data from the AFGL interferometer-spectrometer and

TABLE 2. PHOTOENERGY EFFICIENCIES OF AURORALLY EXCITED OVERTONE NO EMISSIONS

Date	Time	Ratio		Ratio Photons (NO) ^b Photons (3914A)	% of Auroral Electron Energy Radiated as NO Overtone Photons
		2.9 μ m 3914A	Radiance (kR) ^a Radiance (kR)		
7 March 1976	1000-1030	3.0		7.5	0.54
7 March 1976	1120-1150	3.0		7.5	0.54
26 March 1976	1010-1040	5.2		13.0	0.93
26 March 1976	1120-1150	4.3		10.8	0.77
26 March 1976	0905-0935	4.3		10.8	0.77
8 March 1976	0730-0800	3.3		8.3	.59
3 March 1976	0500-0530	2.3		5.8	.41

^aThe measured 2.9 μ m enhancement occurring within the spectral bandpass of the instrument which includes only a portion of the complete NO band.

^bThe total photons emitted from the complete NO overtone band which is determined by scaling the measured 2.9 μ m radiance by an appropriate factor based on a synthetic NO model.




Figure 16. Comparison of 2.9 μm enhancements and 3914 Å N_2^+ emissions for data measured 7 March 1976.




Figure 17. Comparison of 2.9 μm enhancements and 3914 \AA N_2^+ emissions for data measured 26 March 1976.

the thermal spatial scanners have been presented in a series of AFGL reports co-authored with Brian Sandford and his associates. The radiometric data and the results of the comparisons are reported as direct contributions to the appropriate chapters of the reports.

The comparisons between the radiometric data and the interferometric data were accomplished by integrating the measured interferometric spectra over the spectral passbands of the radiometer. As presented in the AFGL reports, the radiometer measurements and interferometer measurements are in good agreement.

SPATIAL INFRARED MEASUREMENTS

A large amount of spatial infrared measurements were taken of backgrounds and airborne vehicles with the AFGL Norelco spatial mapper system. The measurements were made from the AFGL NKC-135 aircraft. USU supported the measurements by supplying personnel to track the instruments and to operate the control consoles during many data gathering missions.

A significant amount of data reduction and analysis were performed on the collected data using a Hewlett-Packard Model 21MX computer-analyzer system. The reduction and analysis procedures which were developed and followed enable the data to be presented in various calibrated formats. The basic procedures involved in the analysis of the data are described in the following paragraphs.

The first step is to assess the data. It is necessary to determine what scene was being viewed as a function of time and which bandpass filters were used during the data collecting runs. This is done by monitoring various house-keeping functions and the voice information on the recorded data tapes. Using this information, the time intervals of interest can be defined. The computer can then be commanded to digitize several infrared pictures and store them on a digital disc memory. Once a large number of pictures have been

digitized, they are displayed on the pictorial display device. By careful examination of each digitized picture, individual pictures can be selected for further processing, or in cases where the scene is stationary for several frames, the pictures can be averaged for better signal to noise levels and then further processed.

The next step is to eliminate or minimize any distortions introduced by the measurement system. The most important distortions introduced into the data are caused by the ac coupling of each detector in the instrument before the detectors are multiplexed together to form the analog video signal. This ac coupling is used to reduce the large amount of low frequency noise produced by the detectors, but it also eliminates the low frequency structure in the pictures. In the most general situation, the low frequencies cannot be re-inserted into the data; but under many circumstances, the appropriate low frequency signals can be assumed known, and higher frequencies boosted to compensate for the attenuation by the instrument. Other types of distortions can also exist due to the ac coupling. Since each detector is ac coupled independently the average level can shift due to differences in the scene from detector to detector, but if all detectors can be forced to agree in that region and thereby reduce the offsets in average level between detectors. If large noise spikes occur in certain spots, the picture can be filtered in small regions to eliminate or reduce the noise.

The remaining procedures to be applied to the data involved calibration and display. Once the response of each detector is known for each bandpass filter that was used, calibration of the data frame is reasonably straight forward. One difficulty arises when the filter passband is not flat and the spectral energy distribution of the source across the band is not uniform. The reduction programs were written to allow a spectral calibration to be used with an input spectral energy distribution, but in many cases the detailed spectral

characteristics of the calibration and the incoming energy are not accurately known. In these cases, appropriate assumptions have to be made. One of the most difficult problems encountered was to obtain calibrations of the detectors that were repeatable and stable with time. Many erroneous calibrations were performed due to high background levels that were not subtracted out, measurement procedures that were inadequate, or calibration signals that were not the necessary size and shape. These problems have been sorted out and accurate calibrations can now be made.

The last step of reducing the data concerns storage and display of the corrected and calibrated pictures. Storage is important since many pictures are analyzed and comparisons between many pictures are desired. The storage problem was solved by giving each file a name that described its type, i.e., data or calibration, the bandpass filter used, and the time of measurement, and then storing it on the disc file storage area. Each picture can then be recovered, further processed or displayed at any time. An adequate display of the final results is a critical part of the analysis as well, since a proper type of display is necessary to pass the information on to the user. Calibrated pictorial displays, contour plots and perspective plots are some of the display methods currently used.

The analyzed spatial data has been reported in co-authored reports published by the Air Force Geophysics Laboratory.

SCIENTIFIC AND OPEN LITERATURE REPORTS

The data measurements, the data reduction, and the instrumentation work performed for this contract led or contributed to several reports. The reports are published as AFGL scientific reports or as open literature reports. Quarterly status reports were also written but were not formally published.

The following is a listing of the reports published by Utah State University.

Schummers, John H., and Ronald J. Huppi, *Interpretation of NO and OH Emission from 1976 Airborne Measurements*, Sc. Rpt. No. 1, Contract F19628-78-C-0018, AFGL-TR-79-0027, 1979.

Huppi, Ronald J., and Allan J. Steed, *Cryogenically Cooled Infrared Interferometric Spectrometers*, Sc. Rpt. No. 2, Contract F19628-73-C-0018, 1981.

Huppi, Ronald J., Allan J. Steed, and E. Ray Huppi, *Cryogenically Cooled Fourier Transform Spectrometers*, to be published in proceedings of 1981 International FT-IR Conference (SPIE), 1981.

Huppi, Ronald J., and A.T. Stair, Jr., *Aurorally Enhanced Infrared Emissions*, Applied Optics, Vol. 18, p. 3394, 1979.

Kemp, John C., and Ronald J. Huppi, *Rocket-borne Cryogenic Interferometer Spectrometer Used for an Artificial Auroral Measurement*, Proc. of Soc. Photo-Optical Instr. Engrs. Vol. 245, p. 34, 1980.

Huppi, Ronald J., Randy B. Shipley, and E. Ray Huppi, *Balloon-borne Fourier Spectrometer Using a Focal Plane Detector Array*, Proc. of Soc. Photo-Optical Instr. Engrs., Vol. 191, p. 26 (1979).

REFERENCES

Huppi, E.R., J.W. Rogers, and A.T. Stair, Jr. [1974] *Aircraft Observations of the Infrared Emission of the Atmosphere in the 700-2800 cm^{-1} Region*, Applied Optics, Vol. 13, No. 6, June 1974, p. 1466.

Huppi, R.J., and J.W. Reed [1977], *Aircraft Borne Measurements of Infrared Enhancements During ICECAP 1975 and 1976*, HAES Report 68, AFGL-TR-77-0232.

Huppi, Ronald J., Allan J. Steed, and E. Ray Huppi, [1981], *Cryogenically Cooled Fourier Transform Spectrometers*, to be published in proceedings of 1981 International FT-IR Conference (SPIE), 1981.

Kemp, John C., and Ronald J. Huppi [1980], *Rocket-borne Cryogenic Interferometer Spectrometer Used for an Artificial Auroral Measurement*, Proc. of Soc. Photo-Optical Instr. Engrs., Vol. 245, p. 34.

Sandford, Brian P., John H. Schummers, John D. Rex, Jack Shumsky, Ronald J. Huppi, Randall B. Sluder [1976], (U) *Aircraft Signatures in the Infrared 1.2 to 5.5 Micron Region*, Volume I--Instrumentation, AFGL-TR-76-0133[I], Hanscom Air Force Base, Mass., 28 June 1976.

Schummers, John H., and Ronald J. Huppi, [1979], *Interpretation of NO and OH Emission from 1976 Airborne Measurements*, Sc. Rpt. No. 1, Contract F19628-78-C-0018, AFGL-TR-79-0027.

Stair, A.T., Jr., J.C. Ulwick, K.D. Baker and D.J. Baker, *Rocketborne Observations of Atmospheric Infrared Emissions in the Auroral Region*, (Reidel, Holland, 1975), p. 335.

DISTRIBUTION LIST

Director
Defense Advanced Rsch Proj Agency
Architect Building
1400 Wilson Blvd.
Arlington, VA 22209
Attn: Lt Col W.A. Whitaker

Director
Defense Advanced Rsch Proj Agency
Architect Building
1400 Wilson Blvd.
Arlington, VA 22209
Attn: Lt. Col. W. Cuneo

Defense Documentation Center
Cameron Station
Alexandria, VA 22314
Attn: TC

Defense Documentation Center
Cameron Station
Alexandria, VA 22314
Attn: TC

Director
Defense Nuclear Agency
Washington, DC 20305
Attn: RAAE Charles A. Blank

Director
Defense Nuclear Agency
Washington, DC 20305
Attn: TITL Tech Library

Director
Defense Nuclear Agency
Washington, DC 20303
Attn: TITL Tech Library

Director
Defense Nuclear Agency
Washington, DC 20305
Attn: RAEV Harold C. Fitz, Jr.

Director
Defense Nuclear Agency
Washington, D.C. 20305
Attn: TISI Archives

Director
Defense Nuclear Agency
Washington, DC 20305
Attn: DDST

Director
Defense Nuclear Agency
Washington, DC 20305
Attn: Major R. Bigoni/RAAE

Director of Defense Research
and Engineering
Department of Defense
Washington, DC 20301
Attn: DD/S&SS (OS)
Daniel Brockway

Director of Defense Research
& Engineering
Department of Defense
Washington, DC 20301
Attn: DD/S&SS
Daniel Brockway

Commander
Field Command
Defense Nuclear Agency
Kirtland AFB, NM 87115
Attn: FCPR

Chief Livermore Division
Field Command DNA
Lawrence Livermore Lab.
P.O. Box 808
Livermore, CA 94550
Attn: FCPRL

Commander/Director
Atmospheric Sciences Laboratory
US Army Electronics Command
White Sands Missile Range,
New Mexico 88002
Attn: H. Ballard (3 copies)

Commander/Director
Atmospheric Sciences Laboratory
US Army Electronics Command
White Sands Missile Range,
New Mexico 88002
Attn: DRSEL-BL-SY-A F. Niles
(3 copies)

Commander
Harry Diamond Laboratories
2800 Powder Mill Road
Adelphi, MD 20783
Attn: DRXDO-NP, F.H. Wiminetz

Commander
US Army Nuclear Agency
Fort Bliss, TX 79916
Attn: MONA-WE

Director
BMD Advanced Tech Center
Huntsville, AL 35808
Attn: ATC-T, M. Capps

Director
BMD Advanced Tech Center
Huntsville, AL 35807
Attn: ATC00, W. Davies

Dep.Chief of Staff for Rsch,
DEV & ACO
Department of the Army
Washington, DC 20310
Attn: MBC Division

Dep.Chief of Staff for Rsch,
DEV & ACO
Department of the Army
Washington, DC 20310
Attn: DAMA-CSZ-O

Dep.Chief of Staff for Rsch
DEV & ACO
Department of the Army
Washington, DC 20310
Attn: DAMA-WSZC

Director
US Army Ballistic Research Lab
Aberdeen Proving Grounds
Maryland 21005
Attn: DRXBR-AM G. Keller

Director
US Army Ballistic Research Lab
Aberdeen Proving Grounds
Maryland 21005
Attn: DRXRD-BSP J. Heimerl

Director
US Army Ballistic Research Lab
Aberdeen Proving Grounds
Maryland, 21005
Attn: John Mester

Director
US Army Ballistic Research Lab
Aberdeen Proving Grounds
Maryland, 21005
Attn: Tech Library

Commander
US Army Electronics Command
Fort Monmouth, NJ 37703
Attn: Inst for Expl Research

Commander
US Army Electronics Command
Fort Monmouth, NJ 37703
Attn: DRSEL (5 copies)

Commander
US Army Electronics Command
Fort Monmouth, NJ 37703
Attn: Stanley Kronenberger

Commander
US Army Electronics Command
Fort Monmouth, NJ 37703
Attn: Weapons Effects Sec.

Commander
US Army Foreign Sci & Tech Ctr
220 7th Street, NE
Charlottesville, VA 22901
Attn: Robert Jones

Chief
US Army Research Office
P.O. Box 12211
Triangle Park, NC 27709
Attn: Robert Mace

Commander
Naval Oceans Systems Center
San Diego, CA 92152
Attn: Code 2200 I. Rothmuller

Commander
Naval Oceans Systems Center
San Diego, CA 92152
Attn: Code 2200 W. Moler

Commander
Naval Oceans Systems Center
San Diego, CA 92152
Attn: Code 2200 H. Hughes

Commander
Naval Oceans Systems Center
San Diego, CA 92152
Attn: Code 2200 R. Pappert

Commander
Naval Oceans Systems Center
San Diego, CA 92152
Attn: Code 2200 J.R. Richter

Director
Naval Research Laboratory
Washington, DC 20375
Attn: Code 7712 D.P. McNutt

Director
Naval Research Laboratory
Washington, DC 20375
Attn: Code 7701 Jack D. Brown

Director
Naval Research Laboratory
Washington, DC 20375
Attn: Code 2600 Tech Lib.

Director
Naval Research Laboratory
Washington, DC 20375
Attn: Code 7127 C.Y. Johnson

Director
Naval Research Laboratory
Washington, DC 20375
Attn: Code 7700 T.P. Coffey

Director
Naval Research Laboratory
Washington, DC 20375
Attn: Code 7709 Wahab Ali

Director
Naval Research Laboratory
Washington, DC 20375
Attn: Code 7750 D.F. Strobel

Director
Naval Research Laboratory
Washington, DC 20375
Attn: Code 7750 P. Juluene

Director
Naval Research Laboratory
Washington, DC 20375
Attn: Code 7750 J. Fedder

Director
Naval Research Laboratory
Washington, DC 20375
Attn: Code 7750 S. Ossakow

Director
Naval Research Laboratory
Washington, DC 20375
Attn: Code 7750 J. Davis

Superintendent
Naval Post Graduate School
Monterey, CA 93940
Attn: Tech Reports Librarian

Commander
Naval Surface Weapons Center
White Oak, Silver Spring, MD 20910
Attn: Code WA501 Navy Nuc Prgms

Commander
Naval Surface Weapons Center
White Oaks, Silver Spring MD 20910
Attn: Technical Library

Commander
Naval Intelligence Support Center
4301 Suitland Rd. Bldg 5
Washington, DC 20390
Attn: Document Control

AF Geophysics Laboratory, AFSC
Hanscom AFB, MA 01731
Attn: LKB Kenneth S W Champion

AF Geophysics Laboratory, AFSC
Hanscom AFB, MA 01731
Attn: OPR Alva T. Stair
(5 copies)

AF Geophysics Laboratory, AFSC
Hanscom AFB, MA 01731
Attn: Opr J. Ulwick

AF Geophysics Laboratory, AFSC
Hanscom AFB, MA 01731
Attn: OPR R. Murphy

AF Geophysics Laboratory, AFSC
Hanscom AFB, MA 01731
Attn: OPR J. Kennealy

AF Geophysics Laboratory, AFSC
Hanscom AFB, MA 01731
Attn: PHG J.C. McClay

AF Geophysics Laboratory, AFSC
Hanscom AFB, MA 01731
Attn: LKD Rosco Narcisi

AF Geophysics Laboratory, AFSC
Hanscom AFB, MA 01731
Attn: LKO R. Huffman

AF Weapons Laboratory, AFSC
Kirtland AFB, NM 87117
Attn: Maj G. Ganong, DYM

Commander
ASD
WPAFB, OH 45433
Attn: ASD-YH-EX
Lt Col Robert Leverette

SAMSO/AW
P.O. Box 92960
Worldway Postal Center
Los Angeles, CA 90009
Attn: SZJ Major L. Doan

SAMSO/SW
P.O. Box 92960
Worldway Postal Center
Los Angeles, CA 90009
Attn: AW

AFTAC
Patric AFB, FL 32925
Attn: Tech Library

AFTAC
Patric AFB, FL 32925
Attn: TD

HQ Air Force Systems Command
Andrews AFB
Washington, DC 20331
Attn: DLS

HQ Air Force Systems Command
Andrews AFB
Washington, DC 20331
Attn: Tech Library

HQ Air Force Systems Command
Andrews AFB
Washington, DC 20331
Attn: OLCAE

HQ Air Force Systems Command
Andrews AFB
Washington, DC 20331
Attn: DLTW

HQ Air Force Systems Command
Andrews AFB
Washington, DC 20331
Attn: DLXP

HQ Air Force Systems Command
Andrews AFB
Washington, DC 20331
Attn: SDR

HQ USAF/RD
Washington, DC 20330
Attn: RDQ

Commander
Rome Air Development Center
Griffiss AFB, NY 13440
Attn: J.J. Simons OCSC

Div. of Military Application
US Energy Rsch & Dev Admin
Washington, DC 20545
Attn: DOC CON

Los Alamos Scientific Lab
P.O. Box 1663
Los Alamos, NM 87545
Attn: DOC CON R.A. Jeffries

Los Alamos Scientific Lab
P.O. Box 1663
Los Alamos, NM 87545
Attn: DOC CON CR Mehl ORG 5230

Los Alamos Scientific Lab
P.O. Box 1663
Los Alamos, NM 87545
Attn: DOC CON H.V. Argo

Los Alamos Scientific Lab
P.O. Box 1663
Los Alamos, NM 87545
Attn: DOC CON M. Tierney J-10

Los Alamos Scientific Lab
P.O. Box 1663
Los Alamos, NM 87545
Attn: DOC CON Robert Brownlee

Los Alamos Scientific Lab
P.O. Box 1663
Los Alamos, NM 87545
Attn: DOC CON Wm Maier

Los Alamos Scientific Lab
P.O. Box 1663
Los Alamos, NM 87545
Attn: DOC CON John Zinn

Los Alamos Scientific Lab
P.O. Box 1663
Los Alamos, NM 87545
Attn: DOC CON Reference Lib.
Ann Beyer

Sandia Laboratories
Livermore Laboratory
P.O. Box 965
Livermore, CA 94556
Attn: DOC CON T. Cook ORG
8007

Sandia Laboratories
P.O. Box 5800
Albuquerque, NM 87115
Attn: DOC CON
W.D. Brown ORG 1353

Sandia Laboratories
P.O. Box 5800
Albuquerque, NM 87115
Attn: DOC CON
L. Anderson ORG 1247

Sandia Laboratories
P.O. Box 5800
Albuquerque, NM 87115
Attn: DOC CON
Morgan Kramma ORG 5720

Sandia Laboratories
P.O. Box 5800
Albuquerque, NM 87115
Attn: DOC CON
Frank Hudson ORG 1722

Sandia Laboratories
P.O. Box 5800
Albuquerque, NM 87115
Attn: DOC CON ORG 3422
Sandia Repts Coll.

Argonne National Laboratory
Records Control
9700 South Cass Avenue
Argonne, IL 60439
Attn: DOC CON D. W. Green

Argonne National Laboratory
Records Control
9700 South Cass Avenue
Argonne, IL 60439
Attn: DOC CON
LIR SVCS RPTS SEC

Argonne National Laboratory
Records Control
9700 South Cass Avenue
Argonne, IL 60439
Attn: DOC CON S. Garelnick

Argonne National Laboratory
Records Control
9700 South Cass Avenue
Argonne, IL 60439
Attn: DOC CON G.T. Reedy

University of California
Lawrence Livermore Laboratory
P.O. Box 808
Livermore, CA 94550
Attn: W.H. Duewer Gen L-404

University of California
Lawrence Livermore Laboratory
P.O. Box 808
Livermore, CA 94550
Attn: Julius Chang L-71

University of California
Lawrence Livermore Laboratory
P.O. Box 808
Livermore, CA 94550
Attn: G.P. Haugen L-404

University of California
Lawrence Livermore Laboratory
P.O. Box 808
Livermore, CA 94550
Attn: D.J. Wuerales L-142

California, State of
Air Resource Board
9528 Telsia Avenue
Al Monte, CA 91731
Attn: Leo Zafonte

Calif. Institute of Technology
Jet Propulsion Laboratory
4800 Oak Grove Drive
Pasadena, CA 91103
Attn: Joseph A. Jello

US Energy Rsch & Dev Admin
Div. of Headquarters Services
Library Branch G-043
Washington, DC 20545
Attn: DOC CON Class Tech Lib

Department of Transportation
Office of the Secretary
TAD-44. 1, Room 10402-B
400 7th Street S.W.
Washington, DC 20590
Attn: Samuel C. Coroniti

NASA
Goddard Space Flight Center
Greenbelt, MD 20771
Attn: A. C. Aiken

NASA
Goddard Space Flight Center
Greenbelt, MD 20771
Attn: A. Tempkin

NASA
Goddard Space Flight Center
Greenbelt, MD 20771
Attn: A. J. Bauer

NASA
Goddard Space Flight Center
Greenbelt, MD 20771
Attn: Technical Library

NASA
Goddard Space Flight Center
Greenbelt, MD 20771
Attn: J. Siry

NASA
600 Independence Avenue S.W.
Washington, DC 20545
Attn: A. Gessow

NASA
600 Independence Avenue S.W.
Washington, DC 20546
Attn: D.P. Cauffman

NASA
600 Independence Avenue S.W.
Washington, DC 20546
Attn: Lt Col D.R. Hallenbeck
Code SG

NASA
600 Independence Avenue S.W.
Washington, DC 20545
Attn: R. Fellows

NASA
600 Independence Avenue S.W.
Washington, DC 20546
Attn: A. Schardt

NASA
600 Independence Avenue S.W.
Washington, DC 20546
Attn: M. Tepper

NASA
Langley Research Center
Langley Station
Hampton, VA 23365
Attn: C. Schexnayder MS-168

NASA
Ames Research Center
Moffett Field, CA 94035
Attn: N-25404 W. L. Starr

NASA
Ames Research Center
Moffett Field, CA 94035
Attn: N-254-4 R. Whitten

NASA
Ames Research Center
Moffett Field, CA 94035
Attn: N-254-4 I.G. Poppoff

NASA
Ames Research Center
Moffett Field, CA 94035
Attn: N-254-3 N.H. Farlow

NASA
George C. Marshall Space Flt.
Center
Huntsville, AL 35812
Attn: C. R. Balcher

NASA
George C. Marshall Space Flt.
Center
Huntsville, AL 35812
Attn: N. H. Stone

NASA
George C. Marshall Space Flt.
Center
Huntsville, AL 35812
Attn: W. A. Oran

NASA
George C. Marshall Space Flt.
Center
Huntsville, AL 35812
Attn: Code ES22 John Watts

NASA
George C. Marshall Space Flt.
Center
Huntsville, AL 35812
Attn: W. T. Roberts

NASA
George C. Marshall Space Flt.
Center
Huntsville, AL 35812
Attn: R. D. Hudson

NASA
George C. Marshall Space Flt.
Center
Huntsville, AL 35812
Attn: R. Chappell

Albany Metallurgy Research Ctr.
US Bureau of Mines
P.O. Box 70
Albany, OR 97321
Attn: Eleanor Abshire

Central Intelligence Agency
RD/SI RM 5G48 HQ Building
Washington, DC 20505
Attn: NED/OSI-2G48 HQS

Department of Commerce
National Bureau of Standards
Washington, DC 20234
Attn: Sec Officer James Devoe

Department of Commerce
National Bureau of Standards
Washington, DC 20234
Attn: Sec Officer S. Abramowitz

Department of Commerce
National Bureau of Standards
Washington, DC 20234
Attn: Sec Officer J Cooper

Department of Commerce
National Bureau of Standards
Washington, DC 20234
Attn: Sec Officer G.A. Sinnatt

Department of Commerce
National Bureau of Standards
Washington, DC 20234
Attn: Sec Officer K Kessler

Department of Commerce
National Bureau of Standards
Washington, DC 20234
Attn: Sec Officer M. Krauss

Department of Commerce
National Bureau of Standards
Washington, DC 20234
Attn: Sec Officer L. Gevantman

Nat'l Oceanic & Atmospheric
Administration
Environmental Research Lab
Department of Commerce
Boulder, CO 80302
Attn: George C. Reid
Aeronomy Lab

Nat'l Oceanic & Atmospheric
Administration
Environmental Research Lab
Department of Commerce
Boulder, CO 80302
Attn: Eldon Ferguson

Nat'l Oceanic & Atmospheric
Administration
Environmental Research Lab
Department of Commerce
Boulder, CO 80302
Attn: Fred Fehsenfeld

Aero-Chem Resch Lab, Inc.
P.O. Box 12
Princeton, NJ 08540
Attn: A. Fontijn

Aero-Chem Resch Lab, Inc.
P.O. Box 12
Princeton, NJ 08540
Attn: H. Pergament

Aerodyne Research, Inc.
Bedford Research Park
Crosby Drive
Bedford, MA 01730
Attn: F. Bien

Aerodyne Research, Inc.
Bedford Research Park
Crosby Drive
Bedford, MA 01730
Attn: M. Camac

Aeronomy Corporation
217 S. Neil Street
Champaign, IL 61828
Attn: A. Bowhill

Aerospace Corporation
P.O. Box 92957
Los Angeles, CA 90009
Attn: N. Cohen

Aerospace Corporation
P.O. Box 92957
Los Angeles, CA 90009
Attn: Harris Mayer

Aerospace Corporation
P.O. Box 92957
Los Angeles, CA 90009
Attn: Sidney W. Kash

Aerospace Corporation
P.O. Box 92957
Los Angeles, CA 90009
Attn: T. Widhoph

Aerospace Corporation
P.O. Box 92957
Los Angeles, CA 90009
Attn: R. J. McNeal

Aerospace Corporation
P.O. Box 92957
Los Angeles, CA 90009
Attn: R. Grove

Aerospace Corporation
P.O. Box 92957
Los Angeles, CA 90009
Attn: Irving M. Garfunkel

Aerospace Corporation
P.O. Box 92957
Los Angeles, CA 90009
Attn: Thomas D. Taylor

Aerospace Corporation
P.O. Box 92957
Los Angeles, CA 90009
Attn: V. Josephson

Aerospace Corporation
P.O. Box 92957
Los Angeles, CA 90009
Attn: Julian Reinheimer

Aerospace Corporation
P.O. Box 92957
Los Angeles, CA 90009
Attn: R. D. Rawcliffe

Avco-Everett Research Lab, Inc.
2385 Revere Beach Parkway
Everett, MA 02149
Attn: Technical Library

Avco-Everett Research Lab, Inc.
2385 Revere Beach Parkway
Everett, MA 02149
Attn: George Sutton

Battelle Memorial Institute
505 King Avenue
Columbus, OH 43201
Attn: Donald J. Hamman

Battelle Memorial Institute
505 King Avenue
Columbus, OH 43201
Attn: Donald J. Ham

Battelle Memorial Institute
505 King Avenue
Columbus, OH 43201
Attn: STOIAC

Battelle Memorial Institute
505 King Avenue
Columbus, OH 43201
Attn: Richard K. Thatcher

Brown Engineering Co., Inc.
Cummings Research Park
Huntsville, AL 35807
Attn: N. Passino

The Trustees of Boston College
Chestnut Hill Campus
Chestnut Hill, MA 02167
Attn: Chairman Dept. of Chem.

Brown Engineering Co., Inc.
Cummings Research Park
Huntsville, AL 35807
Attn: Ronald Patrick

California at Riverside, Univ. of
Riverside, CA 92502
Attn: Alan C. Lloyd

California at Riverside, Univ. of
Riverside, CA 92502
Attn: James N. Pitts, Jr.

California at San Diego, Univ. of
3175 Miramar Road
La Jolla, CA 92037
Attn: S. C. Lin

California University of
Berkeley Campus Room 318
Sproul Hall
Berkeley, CA 94720
Attn: Sec Officer for
Harold Johnston

California University of
Berkeley Campus Room 318
Sproul Hall
Berkeley, CA 94720
Attn: Sec Officer for F. Mozer

California University of
Berkeley Campus Room 318
Sproul Hall
Berkeley, CA 94720
Attn: Sec Officer for Dept of
Chem. -W. H. Miller

California, State of
Air Resources Board
9528 Telstar Avenue
El Monte, CA 91731
Attn: Leo Zafonte

Calspan Corporation
P.O. Box 235
Buffalo, NY 14221
Attn: C. E. Treanor

Calspan Corporation
P.O. Box 235
Buffalo, NY 14221
Attn: G. C. Valley

Calspan Corporation
P.O. Box 235
Buffalo, NY 14221
Attn: M. G. Dunn

Calspan Corporation
P.O. Box 235
Buffalo, NY 14221
Attn: W. Wurster

Colorado, University of
Office of Contracts & Grants
380 Administrative Annex
Boulder, CO 80302
Attn: A. Phelps JILA

Colorado, University of
Office of Contracts & Grants
380 Administrative Annex
Boulder, CO 80302
Attn: Jeffrey B. Pearce LASP

Colorado, University of
Office of Contracts & Grants
380 Administrative Annex
Boulder, CO 80302
Attn: C. Beaty JILA

Colorado, University of
Office of Contracts & Grants
380 Administrative Annex
Boulder, CO 80302
Attn: C. Lineberger JILA

Colorado, University of
Office of Contracts & Grants
380 Administrative Annex
Boulder, CO 80302
Attn: C. A. Barth LASP

Columbia University, Trustees
City of New York
La Mont Doherty Geological
Observatory-Torrey Cliff
Palisades, NY 19064
Attn: B. Phelan

Columbia University, Trustees
City of New York
116th Street & Broadway
New York, NY 10027
Attn: Richard N. Zare

Columbia University, Trustees
City of New York
116th & Broadway
New York, NY 10027
Attn: Sec Officer H.M. Foley

Concord Sciences
P.O. Box 113
Concord, MA 01742
Attn: Emmett A. Sutton

Denver, University of
Colorado Seminary
Denver Research Institute
P.O. Box 10127
Denver, CO 80210
Attn: Sec. Officer for Van Zyl

Denver, University of
Colorado Seminary
Denver Research Institute
P.O. Box 10127
Denver, CO 80210
Attn: Sec Officer for D. Murcay

General Electric Company
Tempo-Center for Advanced Studies
816 State Street (P.O. Drawer QO)
Santa Barbara, CA 93102
Attn: DASAIC

General Electric Company
Tempo-Center for Advanced Studies
816 State Street (PO Drawer QO)
Santa Barbara, CA 93102
Attn: Warren S. Knapp

General Electric Company
Tempo-Center for Advanced Studies
816 State Street (PO Drawer QO)
Santa Barbara, CA 93102
Attn: Tim Stephens

General Electric Company
Tempo-Center for Advanced St.
816 State St. (PO Drawer QO)
Santa Barbara, CA 93102
Attn: Don Chandler

General Electric Company
Tempo-Center for Advanced St.
816 State St. (PO Drawer QO)
Santa Barbara, CA 93102
Attn: B. Cambill

General Elec. Co. Space Div.
Valley Forge Space Center
Goddard Blvd.
King of Prussia
P.O. Box 8555
Philadelphia, PA 19101
Attn: M. H. Bortner
Space Science Lab

General Elec. Co. Space Div.
Valley Forge Space Center
Goddard Blvd. King of Prussia
P.O. Box 8555
Philadelphia, PA 19101
Attn: J. Burns

General Elec. Co. Space Div.
Valley Forge Space Center
Goddard Blvd. King of Prussia
P.O. Box 8555
Philadelphia, PA 19101
Attn: F. Alyea

General Elec. Co. Space Div.
Valley Forge Space Center
Goddard Blvd. King of Prussia
P.O. Box 8555
Philadelphia, PA 19101
Attn: P. Z. Sands

General Elec. Co. Space Div.
Valley Forge Space Center
Goddard Blvd. King of Prussia
P.O. Box 8555
Philadelphia, PA 19101
Attn: R. H. Edsall

General Elec. Co. Space Div.
Valley Forge Space Center.
Goddard Blvd. King of Prussia
P.O. Box 8555
Philadelphia, PA 19101
Attn: T. Baurer

General Research Corporation
P.O. Box 3587
Santa Barbara, CA 93105
Attn: John Ise, Jr.

Geophysical Institute
University of Alaska
Fairbanks, AK 99701
Attn: D. Henderson

Geophysical Institute
University of Alaska
Fairbanks, AK 99701
Attn: J. S. Wagner Physics Dept.

Geophysical Institute
University of Alaska
Fairbanks, AK 99701
Attn: B. J. Watkins

Geophysical Institute
University of Alaska
Fairbanks, AK 99701
Attn: T. N. Davis

Geophysical Institute
University of Alaska
Fairbanks, AK 99701
Attn: R. Parthasarathy

Geophysical Institute
University of Alaska
Fairbanks, AK 99701
Attn: Neal Brown

Lowell, University of
Center for Atmospheric Research
450 Aiken Street
Lowell, MA 01854
Attn: G. T. Best

Lockheed Missiles & Space Co.
3251 Hanover Street
Palo Alto, CA 94304
Attn: John Kumer Dept 52-54

Lockheed Missiles & Space Co.
3251 Hanover Street
Palo Alto, CA 94304
Attn: John Cladis Dept 52-12

Lockheed Missiles & Space Co.
3251 Hanover Street
Palo Alto, CA 94304
Attn: B. McCormac Dept 52-54

Lockheed Missiles & Space Co.
3251 Hanover Street
Palo Alto, CA 94304
Attn: T. James Dept 52-54

Lockheed Missiles & Space Co.
3251 Hanover Street
Palo Alto, CA 94304
Attn: B. Reagan Dept 52-12

Lockheed Missiles & Space Co.
3251 Hanover Street
Palo Alto, CA 94304
Attn: M. Walt Dept 52-10

Lockheed Missiles & Space Co.
3251 Hanover Street
Palo Alto, CA 94304
Attn: R. Johnson Dept 52-12

Lockheed Missiles & Space Co.
3251 Hanover Street
Palo Alto, CA 94304
Attn: R. Sears Dept 52-14

Lockheed Missiles & Space Co.
3251 Hanover Street
Palo Alto, CA 94304
Attn: J. R. Winkler

Institute for Defense Analysis
400 Army-Navy Drive
Arlington, VA 22202
Attn: Ernest Bauer

Institute for Defense Analyze
400 Army-Navy Drive
Arlington, VA 22202
Attn: Hans Wolfhard

Mission Research Corporation
735 State Street
Santa Barbara, CA 93101
Attn: D. Archer

Mission Research Corporation
735 State Street
Santa Barbara, CA 93101
Attn: D. Fischer

Mission Research Corporation
735 State Street
Santa Barbara, CA 93101
Attn: M. Scheibe

Mission Research Corporation
735 State Street
Santa Barbara, CA 93101
Attn: D. Sappenfield

Mission Research Corporation
735 State Street
Santa Barbara, CA 93101
Attn: D. Sowle

Photometrics, Inc.
442 Marrett Road
Lexington, MA 02173
Attn: Irving L. Kofsky

Physical Dynamics, Inc.
P.O. Box 1069
Berkeley, CA 94701
Attn: J. B. Workman

Physical Dynamics, Inc.
P.O. Box 1069
Berkeley, CA 94701
Attn: A. Thompson

Physical Sciences, Inc.
30 Commerce Way
Woburn, MA 01801
Attn: Kurt Wray

Physical Sciences, Inc.
30 Commerce Way
Woburn, MA 01801
Attn: R. L. Taylor

Physical Sciences, Inc.
30 Commerce Way
Woburn, MA 01801
Attn: G. Caledonia

Physics International Co.
2700 Merced Street
San Leandro, CA 94577
Attn: Doc Con for Tech Lib

Pittsburgh, University of
Commonwealth Sys of Higher Ed.
Cathedral of Learning
Pittsburgh, PA 15213
Attn: Wade L. Fite

Pittsburgh, University of
Commonwealth Sys of Higher Ed.
Cathedral of Learning
Pittsburgh, PA 15213
Attn: Manfred A. Biondi

Pittsburgh, University of
Commonwealth Sys of Higher Ed.
Cathedral of Learning
Pittsburgh, PA 15213
Attn: Frederick Kaufman

Pittsburgh, University of
Commonwealth Sys of Higher Ed.
Cathedral of Learning
Pittsburgh, PA 15213
Attn: Edward Gerjuoy

Princeton Univ. Trustees of
Forrestal Campus Library
Box 710
Princeton University
Princeton, NJ 08540

R & D Associates
P.O. Box 9695
Marina Del Rey, CA 90291
Attn: Richard Latter

R & D Associates
P.O. Box 9695
Marina Del Rey, CA 90291
Attn: R. G. Lindgren

R & D Associates
P.O. Box 9695
Marina Del Rey, CA 90291
Attn: Bryan Gabbard

R & D Associates
P.O. Box 9695
Marina Del Rey, CA 90291
Attn: H. A. Oru

R & D Associates
P.O. Box 9695
Marina Del Rey, CA 90291
Attn: Robert E. Lelevier

R & D Associates
P.O. Box 9695
Marina Del Rey, CA 90291
Attn: R. P. Turco

R & D Associates
P.O. Box 9695
Marina Del Rey, CA 90291
Attn: Forrest Gilmore

R & D Associates
P.O. Box 9695
Marina Del Rey, CA 90291
Attn: D. Dee

R & D Associates
1815 N. Ft. Myer Drive 11th fl.
Arlington, VA 22209
Attn: Herbert J. Mitchell

R & D Associates
1815 N. Ft. Myer Drive 11th fl.
Arlington, VA 22209
Attn: J. W. Rosengren

Rand Corporation
1700 Main Street
Santa Monica, CA 90406
Attn: Cullen Crain

Science Applications, Inc.
P.O. Box 2351
La Jolla, CA 92038
Attn: Daniel A. Hamlin

Science Applications, Inc.
P.O. Box 2351
La Jolla, CA 92038
Attn: David Sachs

Space Data Corporation
1333 W. 21st St.
Tempe, AZ 85282
Attn: Edward F. Allen

SRI International
333 Ravenswood Avenue
Menlo Park, CA 94025
Attn: M. Baron

SRI International
333 Ravenswood Avenue
Menlo Park, CA 94025
Attn: L. Leadabrand

SRI International
333 Ravenswood Avenue
Menlo Park, CA 94025
Attn: Walter G. Chestnut

SRI International
1611 North Kent Street
Arlington, VA 22209
Attn: Warren W. Berning

SRI International
1611 North Kent Street
Arlington, VA 22209
Attn: Charles Hulbert

Stewart Radiance Laboratory
139 The Great Road
Bedford, MA 01730
Attn: R. J. Huppi
(25 copies)

Technology International Corp.
75 Wiggins Avenue
Bedford, MA 01730
Attn: W. P. Roquist

United Technologies Corp.
755 Main Street
Hartford, CT 06103
Attn: H. Michels

United Technologies Corp.
755 Main Street
Hartford, CT 06103
Attn: Robert Bullis

Utah State University
Logan, UT 84322
Attn: Doran Baker

Utah State University
Logan, UT 84322
Attn: Kay Baker

Utah State University
Logan, UT 84322
Attn: C. Wyatt

Utah State University
Logan, UT 84322
Attn: D. Burt

Visidyne, Inc.
19 Third Avenue
Northwest Industrial Park
Burlington, MA 01803
Attn: Henry J. Smith

Visidyne, Inc.
19 Third Avenue
Northwest Industrial Park
Burlington, MA 01803
Attn: J. W. Carpenter

Visidyne, Inc.
19 Third Avenue
Northwest Industrial Park
Burlington, MA 01803
Attn: William Reidy

Visidyne, Inc.
19 Third Avenue
Northwest Industrial Park
Burlington, MA 01803
Attn: T. C. Degges

Visidyne, Inc.
19 Third Avenue
Northwest Industrial Park
Burlington, MA 01803
Attn: Charles Humphrey

Visidyne, Inc.
19 Third Avenue
Northwest Industrial Park
Burlington, MA 01803
Attn: J. Reed

Wayne State University
1064 MacKenzie Hall
Detroit, MI 48202
Attn: Pieter K. Rol
Chem Engrg & Mat Sci

Wayne State University
1064 MacKenzie Hall
Detroit, MI 48202
Attn: R. H. Kummeler

Wayne State University
Dept. of Physics
Detroit, MI 48202
Attn: Walter E. Kauppila

Yale University
New Haven, CT 06520
Attn: Engineering Dept.

AF Geophysics Laboratory, AFSC
Hanscom AFB, MA 01731
Attn: OPR B. Sandford
(10 copies)

Director
Defense Advanced Rsch Proj Agcy
Architect Building
1400 Wilson Blvd.
Arlington, VA 22209
Attn: S. Zakanycz /STO

Director
Defense Advanced Rsch Proj Agcy
Architect Building
1400 Wilson Blvd.
Arlington, VA 22209
Attn: P. Clark /STO

Director
Defense Advanced Rsch Proj Agcy
Architect Building
1400 Wilson Blvd.
Arlington, VA 22209
Attn: E. Kopf /STO

Director
Defense Advanced Rsch Proj Agcy
Architect Building
1400 Wilson Blvd.
Arlington, VA 22209
Attn: Program Management
(MIS Division)
(2 copies)

Director
Defense Advanced Rsch Proj Agcy
Architect Building
1400 Wilson Blvd.
Arlington, VA 22209
Attn: J. Jenney /STO

Commander
Naval Electronics Systems Command
Naval Electronics Systems Command Hq.
Washington, DC 20360
Attn: PME 117

OSD-ASDI the Pentagon
Washington, DC 20301
Attn: Mr. W. Henderson

OSD-ASDI the Pentagon
Washington, DC 20301
Attn: Mr. A. Albrecht

US Arms Control & Disarmament
Agency
Department of State
Washington, DC 20451
Attn: Dr. F. Elmer

Commander, US Army Missile
Command
Redstone Arsenal, AL 35809
Attn: DRDMI-NS Mr. Drake

Commander, US Army Missile
Command
Redstone Arsenal, AL 35809
Attn: DRDMI/REI Mr. Jackson

Missile Intelligence Agency
Redstone Arsenal
Huntsville, AL 35809
Attn: DRSMI-YDL

Hq USAF
Washington, DC 20330
Attn: Col L. Deliso, RDSD

Hq USAF
Washington, DC 20330
Attn: Lt Col C. Heimach, RDSD

Hq USAF
Washington DC 20330
Attn: Lt Col G. Watts, RDSD

Air Force Systems Command
Andrews Air Force Base
Washington, DC 20334
Attn: Capt D. Beadner, DLCEA

Air Force Systems Command
Andrews Air Force Base
Washington, DC 20334
Attn: Maj W. Kurowski, XRID

SAMSO, P.O. Box 92960
Worldwide Postal Center
Los Angeles, CA 90009
Attn: Col J. McCormick, SZ

SAMSO, P.O. Box 92960
Worldwide Postal Center
Los Angeles, CA 90009
Attn: Col R. W. Johnson, DY

SAMSO, P.O. Box 92960
Worldwide Postal Center
Los Angeles, CA 90009
Attn: Lt Col R. Shields, SZD

SAMSO, P.O. Box 92960
Worldwide Postal Center
Los Angeles, CA 90009
Attn: Lt Col E. Gee, DYA

Rome Air Develop. Center, AFSO
Griffiss Air Force Base
Rome, NY 13440
Attn: Mr. D. D. Dylis, IRAD

Air Force Propulsion Lab
Edwards Air Force Base, CA 93523
Attn: Dr. J. D. Stewart

Air Force Armament Lab
Eglin Air Force Base, FL 32542
Attn: Capt W. Rothschild, DLMQ

Foreign Technology Division
Wright-Patterson AFB OH 45433
Attn: Mr. T. Larson

Foreign Technology Division
Wright-Patterson AFB OH 45433
Attn: Mr. R. C. Frick

Air Force Avionics Lab
Air Force Systems Command
Wright-Patterson AFB, OH 45433
Attn: Mr. W. Edwards

Arnold Engineering Development
Center, TN 37389
Attn: Dr. H. E. Scott

Arnold Engineering Development
Center, TN 37389
Attn: Dr. W. K. McGregor

Arnold Engineering Development
Center, TN 37389
Attn: Dr. C. Peters

Naval Weapons Center
China Lake, CA 93555
Attn: Mr. W. L. Capps

Naval Weapons Center
China Lake, CA 93555
Attn: Dr. M. Benton

Naval Weapons Center
China Lake, CA 93555
Attn: Dr. L. Wilkins

Central Intelligence Agency
Washington, DC 20505
Attn: Mr. Berguist

Aerospace Corporation
El Segundo Operations
P.O. Box 95085
Los Angeles, CA 90045
Attn: Dr. F. Simmons

Aerospace Corporation
El Segundo Operations
P.O. Box 95085
Los Angeles, CA 90045
Attn: Dr. R. Lee

Aerospace Corporation
El Segundo Operations
P.O. Box 95085
Los Angeles, CA 90045
Attn: Dr. C. Randall

Aerospace Corporation
El Segundo Operations
P.O. Box 95085
Los Angeles, CA 90045
Attn: Dr. H. Graff

Aerospace Corporation
El Segundo Operations
P.O. Box 95085
Los Angeles, CA 90045
Attn: Dr. J. Ator

Institute for Defense Analysis
400 Army-Navy Drive
Arlington, VA 22202
Attn: Dr. H. G. Wolfhard

Institute for Defense Analysis
400 Army-Navy Drive
Arlington, VA 22202
Attn: Dr. L. Biberman

Aerodyne Research, Inc.
Bedford Research Park
Crosby Drive
Bedford, MA 01730
Attn: Dr. J. Draper

Aerodyne Research Inc.
Bedford Research Park
Crosby Drive
Bedford, MA 01730
Attn: Dr. H. Camac

Block Engineering
19 Blackstone Street
Cambridge, MA 02139
Attn: Dr. M. Weinberg

Carson System, Inc.
4630 Campus Drive
Newport Beach, CA 92660
Attn: Dr. John Carson

CALSPAN
4455 Genesee St.
Buffalo, NY 14221
Attn: Dr. C. Treanor

CALSPAN
4455 Genesee St.
Buffalo, NY 14221
Attn: Dr. W. Wurster

Environmental Research Inst of
Michigan
P.O. Box 618
Ann Arbor, MI 48107
Attn: Mr. G. Lindquist

Environmental Research Inst of
Michigan
P.O. Box 618
Ann Arbor, MI 48107
Attn: Mr. R. Legault

GASL
Merrick & Stewart Avenues
Westbury, NY 11590
Attn: R. R. Vaglio-Laurin

Grumman Aerospace Corp.
Research Dept - Plant 35
Bethpage, Long Island, NY 11714
Attn: Dr. M. Slack

Grumman Aerospace Corp.
Research Dept - Plant 35
Bethpage, Long Island, NY 11714
Attn: Dr. D. Moyer

Hughes Aircraft Company
Culver City, CA 90230
Attn: Mr. I. Sandback

Lockheed Missiles & Space Co.
3251 Hanover Street
Palo Alto, CA 94304
Attn: Dr. D. Pecka

Lockheed Missiles & Space Co.
3251 Hanover Street
Palo Alto, CA 94304
Attn: Dr. E. Smith

Riverside Research Institute
1701 Fort Myer Drive
Arlington, VA 22209
Attn: R. C. Passut

Rockwell International Corp.
Space Division/SF12
12214 S. Lakewood Blvd.
Downey, CA 90241
Attn: Richard T. Pohlman

Science Applications, Inc.
P.O. Box 2531
La Jolla, CA 92037
Attn: Dr. Jim Myer

Defense Intelligence Agency
Washington, DC 20301
Attn: Mr. S. Berler DT-1A

R&D Associates
4640 Admiralty Way
P.O. Box 9695
Marina Del Ray, CA 90291
Attn: Mr. Bryan Gabbard

General Electric Company
Aircraft Engine Group
Evandale Plant
Cincinnati, OH 45215
Attn: B. Wilton, Mail Code E198

Boeing Aerospace Co.
P.O. Box 3707
Seattle, WA 98124
Attn: D.M. Owens M/S 8H27

Northrup Aircraft Division
3901 W. Broadway
Hawthorne, CA 90250
Attn: Dr. J. Cashen

Air Force Avionics Lab
Wright-Patterson AFB, OH 45433
Attn: Dr. R. B. Sanderson/WRP

Air Force Avionics Lab
Wright-Patterson AFB, OH 45433
Attn: B. J. Sabo/WRA-1/Library

Aeronautical Systems Division
Wright-Patterson AFB, OH 45433
Attn: D.J. Wallick/ENFTV

Aeronautical Systems Division
Wright-Patterson AFB, OH 45433
Attn: Major L. Basten/AEMA

Air Force Flight Systems Lab/FXB
Wright-Patterson AFB, OH 45433
Attn: Dan Fragga

Hq Strategic Air Command/XPES
Offutt AFB, NE 68113
Attn: Major B. Stephen
(2 copies)

Air Force Technical Applications
Center/TAS
Patrick AFB, FL 32925
Attn: Capt R. Zwirnbaum